

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61K 38/31	A1	(11) International Publication Number: WO 98/51330 (43) International Publication Date: 19 November 1998 (19.11.98)
(21) International Application Number: PCT/EP98/02998 (22) International Filing Date: 13 May 1998 (13.05.98) (30) Priority Data: 08/855,311 13 May 1997 (13.05.97) US (71) Applicant (for all designated States except US): SOCIETE DE CONSEILS DE RECHERCHES ET D'APPLICATIONS SCIENTIFIQUES S.A. (S.C.R.A.S.) [FR/FR]; 51-53, rue du Docteur Blanche, F-Paris (FR). (72) Inventors; and (75) Inventors/Applicants (for US only): CAWTHORNE, Michael, Anthony [GB/GB]; University of Buckingham, Clore Laboratory, Hunter Street, Buckingham, Bucks MK18 1EG (GB). LIU, Yong-Ling [GB/GB]; Clore House, Hunter Street, Buckingham, Bucks MK18 1EG (GB). SENNITT, MATTHEW, V. [GB/GB]; Clore House, Hunter Street, Buckingham, Bucks MK18 1EG (GB). (74) Agent: LUNT, Mark, George, Francis; Dibb Lupton Alsop, Fountain Precinct, Balm Green, Sheffield S1 1RZ (GB).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: METHOD AND COMPOSITIONS FOR TREATING HYPERLIPIDEMIA AND OTHER CONDITIONS (57) Abstract The present invention relates to a method of treating hyperlipidemia and to reducing triacylglycerols, glycerol and cholesterol in a patient. The method includes the step of administering a therapeutically effective amount of a type-5 selective somatostatin agonist to said patient. A pharmaceutical composition comprises said agonist and such product is used in the preparation of the composition for use in treating hyperlipidemia or reducing triacylglycerols, glycerol and cholesterol in a patient's body.		

09/423623
3-20-00